

Examples of bonsai soil mixes used by Japanese bonsai professionals in various parts of Japan.

North Eastern Japan (Tohoku region)			
Isao Omachi, Iwate prefecture			
	Large Matured Bonsai	Large Young Bonsai in Development	Shohin Bonsai
Japanese Black Pine (<i>Pinus thunbergii</i>)	7-akadama 3-pumice	6-akadama 4-pumice	7-akadama 3-pumice
Japanese Red Pine (<i>Pinus densiflora</i>)	7-akadama 3-pumice	6-akadama 4-pumice	7-akadama 3-pumice
Ezo Spruce (<i>Picea jezoensis</i>)	5-akadama 2-kiryu 3-pumice	4-akadama 2-kiryu 4-pumice	5-akadama 2-kiryu 3-pumice
Japanese White Pine (<i>Pinus parviflora</i>)	7-akadama 3-pumice	6-akadama 4-pumice	7-akadama 3-pumice
Shimpaku Juniper (<i>Juniperus chinensis</i> var. <i>sargentii</i>)	7-akadama 3-pumice	5-akadama 5-pumice	7-akadama 3-pumice
Needle Juniper (<i>Juniperus rigida</i>)	7-akadama 3-pumice	6-akadama 4-pumice	7-akadama 3-pumice
Trident Maple (<i>Acer bergerianum</i>)	9-akadama 1-pumice	9-akadama 1-pumice	9-akadama 1-pumice
Japanese Maple (<i>Acer palmatum</i>)	9-akadama 1-pumice	9-akadama 1-pumice	9-akadama 1-pumice
Japanese Winterberry (<i>Ilex serrata</i>)	9-akadama 1-pumice	9-akadama 1-pumice	9-akadama 1-pumice
Chinese Quince (<i>Pseudocdonia sinensis</i>)	9-akadama 1-pumice	9-akadama 1-pumice	9-akadama 1-pumice
Japanese Zelkova (<i>Zelkova serrata</i>)	9-akadama 1-pumice	9-akadama 1-pumice	9-akadama 1-pumice
Crabapple (<i>Malus x cerasifera</i>)	9-akadama 1-pumice	9-akadama 1-pumice	9-akadama 1-pumice

from *Kindai Bonsai* June 2008

Eastern Japan (Kanto region)			
Toshiro Ogawa, Chiba prefecture			
	Large Matured Bonsai	Large Young Bonsai in Development	Shohin Bonsai
Japanese Black Pine (<i>Pinus thunbergii</i>)	7-akadama 3-kiryu	7-akadama 3-kiryu	7-akadama 3-kiryu
Japanese Red Pine (<i>Pinus densiflora</i>)	7-akadama 3-kiryu	7-akadama 3-kiryu	7-akadama 3-kiryu
Ezo Spruce (<i>Picea jezoensis</i>)	7-akadama 3-kiryu	7-akadama 3-kiryu	7-akadama 3-kiryu
Japanese White Pine (<i>Pinus parviflora</i>)	5-akadama 5-kiryu	5-akadama 5-kiryu	5-akadama 5-kiryu
Shimpaku Juniper (<i>Juniperus chinensis</i> var. <i>sargentii</i>)	7-akadama 3-kiryu	7-akadama 3-kiryu	7-akadama 3-kiryu
Needle Juniper (<i>Juniperus rigida</i>)	7-akadama 3-kiryu	7-akadama 3-kiryu	7-akadama 3-kiryu
Trident Maple (<i>Acer bergerianum</i>)	9-akadama 1-kiryu	9-akadama 1-kiryu	9-akadama 1-kiryu
Japanese Maple (<i>Acer palmatum</i>)	9-akadama 1-kiryu	9-akadama 1-kiryu	9-akadama 1-kiryu
Japanese Winterberry (<i>Ilex serrata</i>)	9-akadama 1-kiryu	9-akadama 1-kiryu	9-akadama 1-kiryu
Chinese Quince (<i>Pseudocydonia sinensis</i>)	9-akadama 1-kiryu	9-akadama 1-kiryu	9-akadama 1-kiryu
Japanese Zelkova (<i>Zelkova serrata</i>)	9-akadama 1-kiryu	9-akadama 1-kiryu	9-akadama 1-kiryu
Crabapple (<i>Malus x cerasifera</i>)	9-akadama 1-kiryu	9-akadama 1-kiryu	9-akadama 1-kiryu
from <i>Kindai Bonsai</i> June 2008			

North Central Japan (Shin-etsu region)			
Yoshikazu Nakagawa, Niigata prefecture			
	Large Matured Bonsai	Large Young Bonsai in Development	Shohin Bonsai
Japanese Black Pine (<i>Pinus thunbergii</i>)	6-akadama 2-river 2-kiryu	4-akadama 3-river 3-kiryu	6-akadama 2-river 3-kiryu
Japanese Red Pine (<i>Pinus densiflora</i>)	7-akadama 3-kiryu	5-akadama 5-kiryu	7-akadama 3-kiryu
Ezo Spruce (<i>Picea jezoensis</i>)	8-akadama 2-kiryu	10-akadama	7-akadama 3-kiryu
Japanese White Pine (<i>Pinus parviflora</i>)	6-akadama 4-kiryu	5-akadama 5-kiryu	6-akadama 4-kiryu
Shimpaku Juniper (<i>Juniperus chinensis</i> var. <i>sargentii</i>)	6-akadama 4-river	10-akadama	6-akadama 4-river
Needle Juniper (<i>Juniperus rigida</i>)	6-akadama 2-river 2-kiryu	7-akadama 3-kiryu	6-akadama 2-river 2-kiryu
Trident Maple (<i>Acer bergerianum</i>)	8-akadama 2-kiryu	10-akadama	8-akadama 2-kiryu
Japanese Maple (<i>Acer palmatum</i>)	8-akadama 2-kiryu	10-akadama	8-akadama 2-kiryu
Japanese Winterberry (<i>Ilex serrata</i>)	8-akadama 2-kiryu	10-akadama	8-akadama 2-kiryu
Chinese Quince (<i>Pseudocydonia sinensis</i>)	8-akadama 2-kiryu	10-akadama	8-akadama 2-kiryu
Japanese Zelkova (<i>Zelkova serrata</i>)	8-akadama 2-kiryu	10-akadama	8-akadama 2-kiryu
Crabapple (<i>Malus x cerasifera</i>)	8-akadama 2-kiryu	10-akadama	8-akadama 2-kiryu

from *Kindai Bonsai* June 2008

South Central Japan (Tokai region)			
Kuniyuki Kato, Aichi prefecture			
	Large Matured Bonsai	Large Young Bonsai in Development	Shohin Bonsai
Japanese Black Pine (<i>Pinus thunbergii</i>)	6-akadama 2-river 2-kiryu	4-akadama 4-river 2-kiryu	6-akadama 2-river 2-kiryu
Japanese Red Pine (<i>Pinus densiflora</i>)	7-akadama 1-river 2-kiryu	6-akadama 2-river 2-kiryu	7-akadama 1-river 2-kiryu
Ezo Spruce (<i>Picea jezoensis</i>)	8-akadama 2-kiryu	8-akadama 2-kiryu	8-akadama 2-kiryu
Japanese White Pine (<i>Pinus parviflora</i>)	7-akadama 3-kiryu	7-akadama 3-kiryu	7-akadama 3-kiryu
Shimpaku Juniper (<i>Juniperus chinensis</i> var. <i>sargentii</i>)	7-akadama 2-river 1-kiryu	7-akadama 2-river 1-kiryu	7-akadama 2-river 1-kiryu
Needle Juniper (<i>Juniperus rigida</i>)	6-akadama 3-river 1-kiryu	6-akadama 3-river 1-kiryu	6-akadama 3-river 1-kiryu
Trident Maple (<i>Acer bergerianum</i>)	7-akadama 3-kiryu	7-akadama 2-river 1-kiryu	7-akadama 3-kiryu
Japanese Maple (<i>Acer palmatum</i>)	8-akadama 2-kiryu	7-akadama 2-river 1-kiryu	8-akadama 2-kiryu
Japanese Winterberry (<i>Ilex serrata</i>)	7-akadama 3-kiryu	8-akadama 2-kiryu	8-akadama 2-kiryu
Chinese Quince (<i>Pseudocydonia sinensis</i>)	7-akadama 3-kiryu	8-akadama 2-kiryu	8-akadama 2-kiryu
Japanese Zelkova (<i>Zelkova serrata</i>)	7-akadama 3-kiryu	8-akadama 2-kiryu	8-akadama 2-kiryu
Crabapple (<i>Malus x cerasifera</i>)	7-akadama 3-kiryu	8-akadama 2-kiryu	8-akadama 2-kiryu

from *Kindai Bonsai* June 2008

Western Japan (Kinki region)			
Yosuke Omizo, Kyoto prefecture			
	Large Matured Bonsai	Large Young Bonsai in Development	Shohin Bonsai
Japanese Black Pine (<i>Pinus thunbergii</i>)	5-akadama 3-river 2-kiryu	5-akadama 3-river 2-kiryu	7-akadama 1-river 2-kiryu
Japanese Red Pine (<i>Pinus densiflora</i>)	7-akadama 1-river 2-kiryu	7-akadama 1-river 2-kiryu	7-akadama 3-kiryu
Ezo Spruce (<i>Picea jezoensis</i>)	7-akadama 1-river 2-kiryu	7-akadama 1-river 2-kiryu	7-akadama 3-kiryu
Japanese White Pine (<i>Pinus parviflora</i>)	7-akadama 3-kiryu	7-akadama 3-kiryu	7-akadama 3-kiryu
Shimpaku Juniper (<i>Juniperus chinensis</i> var. <i>sargentii</i>)	7-akadama 3-river	7-akadama 3-river	7-akadama 3-river
Needle Juniper (<i>Juniperus rigida</i>)	7-akadama 3-kiryu	7-akadama 3-kiryu	7-akadama 3-kiryu
Trident Maple (<i>Acer bergerianum</i>)	7-akadama 3-kiryu	7-akadama 1-river 2-kiryu	7-akadama 3-kiryu
Japanese Maple (<i>Acer palmatum</i>)	7-akadama 3-kiryu	7-akadama 1-river 2-kiryu	7-akadama 3-kiryu
Japanese Winterberry (<i>Ilex serrata</i>)	7-akadama 3-kiryu	7-akadama 1-river 2-kiryu	7-akadama 3-kiryu
Chinese Quince (<i>Pseudocydonia sinensis</i>)	7-akadama 3-kiryu	7-akadama 1-river 2-kiryu	7-akadama 3-kiryu
Japanese Zelkova (<i>Zelkova serrata</i>)	7-akadama 3-kiryu	7-akadama 1-river 2-kiryu	7-akadama 3-kiryu
Crabapple (<i>Malus x cerasifera</i>)	7-akadama 3-kiryu	7-akadama 1-river 2-kiryu	7-akadama 3-kiryu
from <i>Kindai Bonsai</i> June 2008			

Southern Japan (Kyushu region)			
Masahiro Sasaki, Kumamoto prefecture			
	Large Matured Bonsai	Large Young Bonsai in Development	Shohin Bonsai
Japanese Black Pine (<i>Pinus thunbergii</i>)	3-akadama 5-river 2-kiryu	3-akadama 7-river	4-akadama 3-river 3-kiryu
Japanese Red Pine (<i>Pinus densiflora</i>)	3-akadama 5-river 2-kiryu	3-akadama 7-river	4-akadama 3-river 3-kiryu
Ezo Spruce (<i>Picea jezoensis</i>)	3-akadama 5-river 2-kiryu	3-akadama 7-river	4-akadama 3-river 3-kiryu
Japanese White Pine (<i>Pinus parviflora</i>)	3-akadama 5-river 2-kiryu	3-akadama 7-river	4-akadama 3-river 3-kiryu
Shimpaku Juniper (<i>Juniperus chinensis</i> var. <i>sargentii</i>)	5-akadama 2-river 3-kiryu	5-akadama 2-river 3-kiryu	5-akadama 2-river 3-kiryu
Needle Juniper (<i>Juniperus rigida</i>)	5-akadama 2-river 3-kiryu	5-akadama 2-river 3-kiryu	5-akadama 2-river 3-kiryu
Trident Maple (<i>Acer bergerianum</i>)	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji
Japanese Maple (<i>Acer palmatum</i>)	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji
Japanese Winterberry (<i>Ilex serrata</i>)	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji
Chinese Quince (<i>Pseudocydonia sinensis</i>)	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji
Japanese Zelkova (<i>Zelkova serrata</i>)	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji
Crabapple (<i>Malus x cerasifera</i>)	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji	6-akadama 3-river 1-fuji

from Kindai Bonsai June 2008